



PRICE LIST
JUL 07, 2026

**SAFETY
MEIN
SAMJHOTA
NAHIN.**





ROUND CONDUIT (PVC) PIPES & FITTINGS

Precision Round Conduit PVC Pipes & Fittings

are manufactured from a specially formulated polyvinyl chloride (PVC) to meet the most stringent Indian and international standards. Our products are made of extra super high impact material which make them safe to use in harsh environments.

The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386-21 for PVC conduits, IS 3419 : 1988 and BS 4607 for PVC fittings.







Applications

Channelising concealed and surface wiring
Telecommunication and cable ducting

DIMENSIONS OF ROUND CONDUIT PVC PIPES IS 9537- PART 3

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Inside Diameter (Min.) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#SPECIAL SIZES					
19	19	-0.3	16.5	16.0	15.1

Features

					
Various Diameters & Grades	Fire Retardant & Corrosion Free	Easy and Quick Installation	Thermal Resistant (-5° C to +60° C)	Durable & Impact Resistant	Laser Engraved Pipe

- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C



ROUND CONDUIT PVC PIPES (SOCKETED)

HSN: 39172310

IS:9537



Part 3



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
LMS (LIGHT MECHANICAL STRESS)						
# 1	PRCS 19L	19	100 x 3m	300	-	23.50
# 2	PRCS 19LNI	19	40 x 3m	-	120	23.50
3	PRCS 20L	20	100 x 3m	300	-	25.25
4	PRCS 20LNI	20	40 x 3m	-	120	25.25
5	PRCS 25L	25	100 x 3m	300	-	35.00
6	PRCS 25LNI	25	25 x 3m	-	75	35.00
7	PRCS 32L	32	50 x 3m	150	-	48.75
8	PRCS 32LNI	32	10 x 3m	-	30	48.75
9	PRCS 40L	40	25 x 3m	75	-	77.75
10	PRCS 40LNI	40	5 x 3m	-	15	77.75
11	PRCS 50L	50	20 x 3m	60	-	110.75
12	PRCS 50LNI	50	5 x 3m	-	15	110.75

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
HMS (HEAVY MECHANICAL STRESS)						
# 25	PRCS 19H	19	100 x 3m	300	-	36.25
# 26	PRCS 19HNI	19	40 x 3m	-	120	36.25
27	PRCS 20H	20	100 x 3m	300	-	38.75
28	PRCS 20HNI	20	40 x 3m	-	120	38.75
29	PRCS 25H	25	50 x 3m	150	-	49.50
30	PRCS 25HNI	25	25 x 3m	-	75	49.50
31	PRCS 32H	32	50 x 3m	150	-	77.75
32	PRCS 32HNI	32	10 x 3m	-	30	77.75
33	PRCS 40H	40	25 x 3m	75	-	101.75
34	PRCS 40HNI	40	5 x 3m	-	15	101.75
35	PRCS 50H	50	20 x 3m	60	-	154.00
36	PRCS 50HNI	50	5 x 3m	-	15	154.00

MMS (MEDIUM MECHANICAL STRESS)						
# 13	PRCS 19M	19	100 x 3m	300	-	27.00
# 14	PRCS 19MNI	19	40 x 3m	-	120	27.00
15	PRCS 20M	20	100 x 3m	300	-	28.25
16	PRCS 20MNI	20	40 x 3m	-	120	28.25
17	PRCS 25M	25	100 x 3m	300	-	40.00
18	PRCS 25MNI	25	25 x 3m	-	75	40.00
19	PRCS 32M	32	50 x 3m	150	-	59.75
20	PRCS 32MNI	32	10 x 3m	-	30	59.75
21	PRCS 40M	40	25 x 3m	75	-	85.50
22	PRCS 40MNI	40	5 x 3m	-	15	85.50
23	PRCS 50M	50	20 x 3m	60	-	129.00
24	PRCS 50MNI	50	5 x 3m	-	15	129.00



ROUND CONDUIT PVC PIPES (SOCKETED)

FRLS | CE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
MMS (MEDIUM MECHANICAL STRESS)						
37	PFRL 20MS	20	50 X 3m	150	-	29.50
38	PFRL 20MSNI	20	50 X 3m	-	150	29.50
39	PFRL 25MS	25	50 X 3m	150	-	42.00
40	PFRL 25MSNI	25	50 X 3m	-	150	42.00
HMS (HEAVY MECHANICAL STRESS)						
41	PFRL 20HS	20	50 X 3m	150	-	40.50
42	PFRL 20HSNI	20	50 X 3m	-	150	40.50
43	PFRL 25HS	25	50 X 3m	150	-	52.00
44	PFRL 25HSNI	25	50 X 3m	-	150	52.00

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
# 45	PRCS19SPL	19x1mm	100 X 3m	300	-	20.50
# 46	PRCS19SPLNI	19x1mm	40 X 3m	-	120	20.50
# 47	PRCS20SPL	20x1mm	100 X 3m	300	-	22.75
# 48	PRCS20SPLNI	20x1mm	40 X 3m	-	120	22.75
# 49	PRCS25SPL	25x1mm	100 X 3m	300	-	28.00
# 50	PRCS25SPLNI	25x1mm	25 X 3m	-	75	28.00

Special Size

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

IS:3419



1988

CIRCULAR BOX WITHOUT LID



TERMINAL - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
51	PRCB 191	19	20	600	20.25
52	PRCB 201	20	20	600	20.75
53	PRCB 251	25	15	450	26.00
54	PRCB 321	32	10	160	48.25
55	PRCB 401	40	10	160	58.25
56	PRCB 501	50	5	80	104.75

INTERSECTION - 4 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
75	PRCB 194	19	20	400	25.25
76	PRCB 204	20	20	400	25.75
77	PRCB 254	25	15	240	35.75
78	PRCB 324	32	10	160	55.00
79	PRCB 404	40	10	160	75.25
80	PRCB 504	50	5	80	132.75

ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
57	PRCB 192A	19	20	400	20.75
58	PRCB 202A	20	20	400	21.25
59	PRCB 252A	25	15	300	26.25
60	PRCB 322A	32	10	160	50.75
61	PRCB 402A	40	10	160	63.00
62	PRCB 502A	50	5	80	113.00

TERMINAL - 1 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
81	PRCB 191D	19	10	280	33.50
82	PRCB 201D	20	10	280	35.00
83	PRCB 251D	25	10	280	41.50
84	PRCB 321D	32	10	280	48.50

ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
85	PRCB 192AD	19	10	280	35.50
86	PRCB 202AD	20	10	280	36.00
87	PRCB 252AD	25	10	280	43.25
88	PRCB 322AD	32	10	220	52.50

THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
63	PRCB 192S	19	20	400	20.75
64	PRCB 202S	20	20	400	21.25
65	PRCB 252S	25	15	300	26.25
66	PRCB 322S	32	10	160	50.75
67	PRCB 402S	40	10	160	63.00
68	PRCB 502S	50	5	80	113.00

THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
89	PRCB 192SD	19	10	200	35.50
90	PRCB 202SD	20	10	200	36.00
91	PRCB 252SD	25	10	200	43.25
92	PRCB 322SD	32	10	200	52.50

TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
69	PRCB 193	19	20	400	23.25
70	PRCB 203	20	20	400	24.50
71	PRCB 253	25	15	300	31.50
72	PRCB 323	32	10	160	52.25
73	PRCB 403	40	10	160	66.25
74	PRCB 503	50	5	80	121.75

TEE - 3 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
93	PRCB 193D	19	10	220	40.00
94	PRCB 203D	20	10	220	40.50
95	PRCB 253D	25	10	220	50.75
96	PRCB 323D	32	10	160	56.25

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000



CIRCULAR BOX WITHOUT LID



INTERSECTION - 4 WAY



DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
97	PRCB 194D	19	10	220	40.50
98	PRCB 204D	20	10	220	41.50
99	PRCB 254D	25	10	220	53.75
100	PRCB 324D	32	10	160	58.25

BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
114	PRCB 202A BO	20	20	400	36.00
115	PRCB 252A BO	25	15	300	53.50

BRANCH - 2 WAY (U) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
101	PRCB 19U	19	20	400	36.00
102	PRCB 20U	20	20	400	36.25
103	PRCB 25U	25	20	400	49.00

BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
116	PRCB 203 BO	20	20	400	40.50
117	PRCB 253 BO	25	15	300	57.75

BRANCH - 3 WAY (Y) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
104	PRCB 19Y	19	20	400	38.75
105	PRCB 20Y	20	20	320	40.50
106	PRCB 25Y	25	15	300	53.50

WITH SCREW CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
118	PRCL65	65	100	2000	6.75
119	PRCL80	80	100	2000	12.75
120	PRCL85	85	100	2000	12.75
121	PRCL90	90	100	1800	14.00
122	PRCL93	93	25	750	14.00
123	PRCL110	110	50	900	22.00

BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
107	PRCB 19H	19	15	300	40.75
108	PRCB 20H	20	15	300	42.00
109	PRCB 25H	25	15	300	57.25

WITHOUT SCREW CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
124	PRCL65WS	65	100	2000	5.50
125	PRCL80WS	80	100	2000	12.00
126	PRCL85WS	85	100	2000	12.00
127	PRCL90WS	90	100	1800	13.50
128	PRCL93WS	93	25	750	13.50
129	PRCL110WS	110	50	900	21.50

» 65 - For 19/20/25mm JB, DJB & 32 DJB ❏ 80 - For 32/40mm JB ~ 93 - For 50mm JB

BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
110	PRCB 201 BO	20	20	400	35.75
111	PRCB 251 BO	25	15	300	50.75

CIRCULAR BOX WITH LID & SCREW

BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
112	PRCB 202S BO	20	20	400	36.00
113	PRCB 252S BO	25	15	300	53.50

TERMINAL - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
130	PRCB 191L	19	20	600	27.75
131	PRCB 201L	20	20	600	28.25
132	PRCB 251L	25	15	450	33.75
133	PRCB 321L	32	10	160	61.75
134	PRCB 401L	40	10	160	71.50
135	PRCB 501L	50	5	80	119.75

Also available in Red and Green.

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

IS:3419



1988



ANGLE - 2 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
136	PRCB 192AL	19	20	400	28.25
137	PRCB 202AL	20	20	400	29.00
138	PRCB 252AL	25	15	300	33.75
139	PRCB 322AL	32	10	160	64.00
140	PRCB 402AL	40	10	160	76.50
141	PRCB 502AL	50	5	80	128.00



THROUGH - 2 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
142	PRCB 192SL	19	20	400	28.25
143	PRCB 202SL	20	20	400	29.00
144	PRCB 252SL	25	15	300	33.75
145	PRCB 322SL	32	10	160	64.00
146	PRCB 402SL	40	10	160	76.50
147	PRCB 502SL	50	5	80	128.00



TEE - 3 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
148	PRCB 193L	19	20	400	31.00
149	PRCB 203L	20	20	400	31.75
150	PRCB 253L	25	15	300	39.00
151	PRCB 323L	32	5	110	65.50
152	PRCB 403L	40	5	110	79.50
153	PRCB 503L	50	5	80	137.00



INTERSECTION - 4 WAY CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
154	PRCB 194L	19	20	320	32.75
155	PRCB 204L	20	20	320	33.50
156	PRCB 254L	25	15	240	43.25
157	PRCB 324L	32	5	110	68.50
158	PRCB 404L	40	5	110	88.50
159	PRCB 504L	50	5	80	147.75

DEEP CIRCULAR BOX WITH LID & SCREW



TERMINAL - 1 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
160	PRCB 191DL	19	10	280	40.75
161	PRCB 201DL	20	10	280	42.50
162	PRCB 251DL	25	10	280	49.25
163	PRCB 321DL	32	10	280	66.25



ANGLE - 2 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
164	PRCB 192ADL	19	10	280	43.00
165	PRCB 202ADL	20	10	280	43.50
166	PRCB 252ADL	25	10	280	50.75
167	PRCB 322ADL	32	10	220	68.75



THROUGH - 2 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
168	PRCB 192SDL	19	10	200	43.00
169	PRCB 202SDL	20	10	200	43.50
170	PRCB 252SDL	25	10	200	50.75
171	PRCB 322SDL	32	10	200	68.75



TEE - 3 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
172	PRCB 193DL	19	10	220	47.50
173	PRCB 203DL	20	10	220	48.25
174	PRCB 253DL	25	10	220	58.50
175	PRCB 323DL	32	10	160	70.00



INTERSECTION - 4 WAY DEEP CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
176	PRCB 194DL	19	10	220	48.00
177	PRCB 204DL	20	10	220	49.25
178	PRCB 254DL	25	10	220	61.25
179	PRCB 324DL	32	10	160	73.00

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000



BRANCH - 2 WAY (U) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
180	PRCB 19UL	19	20	400	43.50
181	PRCB 20UL	20	20	400	44.00
182	PRCB 25UL	25	20	400	56.50

BRANCH - 3 WAY (Y) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
183	PRCB 19YL	19	15	300	46.25
184	PRCB 20YL	20	20	320	48.25
185	PRCB 25YL	25	15	300	60.75

BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
186	PRCB 19HL	19	15	300	48.50
187	PRCB 20HL	20	15	300	49.75
188	PRCB 25HL	25	15	300	64.75

BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
189	PRCB 201 BOL	20	20	400	43.25
190	PRCB 251 BOL	25	15	300	58.50

BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
191	PRCB 202S BOL	20	15	300	43.75
192	PRCB 252S BOL	25	15	240	60.75

BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
193	PRCB 202A BOL	20	15	300	43.75
194	PRCB 252A BOL	25	15	240	60.75

BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
195	PRCB 203 BOL	20	15	300	48.25
196	PRCB 253 BOL	25	15	240	65.25

PP CIRCULAR BOX WITH LID & SCREW

INTERSECTION - 4 WAY (POLYPROPYLENE) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
197	PPCB194L	19	20	320	41.00
198	PPCB254L	25	15	240	49.25

PP DEEP CIRCULAR BOX WITH LID & SCREW

INTERSECTION - 4 WAY (POLYPROPYLENE) DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
199	PPCB194DL	19	10	220	59.75
200	PPCB254DL	25	10	220	69.75

CIRCULAR EXTENSION RING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
201	PRER 20	20	50	800	14.75
202	PRER 25	25	40	640	19.25

LOOP IN BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
203	PRLB 19	19 (4 punch)	20	400	21.00
204	PRLB 20	20 (4 punch)	20	400	21.00
205	PRLB 25	25 (2 punch)	20	400	21.00

Also available in Black, Grey and Ivory.

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

IS:3419



1988



LOOP IN BOX EXTENSION



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
206	PRLB 20E	20	24	384	31.50

COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
207	PCR 19	19	100	2000	6.00
208	PCR 20	20	100	2000	6.75
209	PCR 20 L	20 Long	150	2400	6.75
210	PCR 25	25	100	2000	8.75
211	PCR 32	32	60	960	15.25
212	PCR 40	40	30	480	25.50
213	PCR 50	50	20	320	43.50

(PIPE TO FITTING)

REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
214	PRR1	25>20	250	4000	8.75

(PIPE TO PIPE)

REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
215	PRR 2520	25 > 20	70	1400	8.75
216	PRR 3220	32 > 20	60	1200	11.25
217	PRR 3225	32 > 25	40	800	15.25
218	PRR 4020	40 > 20	48	960	19.25
219	PRR 4032	40 > 32	32	640	21.00
220	PRR 5032	50 > 32	30	480	25.25
221	PRR 5040	50 > 40	30	480	25.50

SLIP TYPE BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
222	PRBN 19	19	65	1040	9.25
223	PRBN 20	20	65	1040	10.25
224	PRBN 25	25	35	560	16.00
225	PRBN 32	32	20	320	46.00
226	PRBN 40	40	10	160	117.75
227	PRBN 50	50	5	80	162.00

SLIP TYPE LONG BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
228	PRBL 20	20	45	720	15.25
229	PRBL 25	25	20	320	24.75
230	PRBL 32	32	10	160	65.25
231	PRBL 40	40	-	80	150.00
232	PRBL 50	50	-	55	235.00

SPACE BAR SADDLE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
233	PRBS 19	19	100	2000	8.25
234	PRBS 20	20	100	2000	8.75
235	PRBS 25	25	100	2000	10.75
236	PRBS 32	32	100	1600	18.00
237	PRBS 40	40	80	1280	20.25
238	PRBS 50	50	60	960	24.00
239	PRBS 63	63	-	50	31.00

SADDLE STRAP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
240	PRSS 19	19	100	2000	5.25
241	PRSS 20	20	100	2000	5.50
242	PRSS 25	25	100	2000	6.75
243	PRSS 32	32	100	1600	8.25
244	PRSS 40	40	80	1280	10.75
245	PRSS 50	50	60	960	13.75

(POLYPROPYLENE)

SELF LOCKING SADDLE CLIP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
246	PPSC20SL	20	75	450	7.00
247	PPSC25SL	25	50	300	9.00

ROUND 'U' CLIP



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
248	PRUC 20	20	200	4000	9.00
249	PRUC 25	25	100	3000	13.75

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

IS:3419



1988



END CAP

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
250	PREC 20	20	150	3000	3.50
251	PREC 25	25	100	2000	6.00
252	PREC 32	32	70	1400	6.75
253	PREC 40	40	32	640	13.25
254	PREC 50	50	24	480	18.50



MALE BUSH ADAPTOR

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
255	PMBA 19	19	100	2000	8.75
256	PMBA 20	20	100	2000	9.25
257	PMBA 25	25	100	2000	11.25



FEMALE BUSH ADAPTOR

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
258	PFBA 19	19	100	2000	8.75
259	PFBA 20	20	100	2000	9.25
260	PFBA 25	25	100	2000	11.75
261	PFBA 32	32	75	1200	18.00
262	PFBA 40	40	50	800	24.25
263	PFBA 50	50	25	400	40.50



ROUND ELBOW

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
264	PRE 20	20	125	2500	8.75
265	PRE 25	25	75	1200	11.75
266	PRE 32	32	20	400	16.25
267	PRE 40	40	15	300	25.00
268	PRE 50	50	10	200	40.25



ROUND TEE

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
269	PRT 20	20	50	1500	14.00
270	PRT 25	25	50	800	17.75
271	PRT 32	32	15	300	20.25
272	PRT 40	40	10	200	29.50
273	PRT 50	50	10	160	46.75



INSPECTION ELBOW

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
274	PIE 20	20	20	600	36.25
275	PIE 25	25	20	400	45.25



INSPECTION TEE

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
276	PIT 20	20	20	600	36.00
277	PIT 25	25	20	400	53.50



INSPECTION BEND

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
278	PIB 20	20	20	600	36.00
279	PIB 25	25	20	400	53.00



ADAPTABLE BOX WITH LID

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
280	PAB 75L	3" x 3" x 2"	10	200	77.75
		75x75x50			
281	PAB 110L	4" x 4" x 3"	-	100	152.00
		110x110x75			
282	PAB 160L	6" x 4" x 3"	-	75	306.75
		160x110x75			
283	PAB 160SL	6" x 6" x 3"	-	50	335.75
		160x160x75			
284	PAB 225SL	9" x 9" x 3"	-	20	726.75
		225x225x75			

△ 32/38/40mm Knockout Available ◇ 50mm Knockout Available



(WHITE)

SURFACE SWITCH BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
285	PSB1	3" x 3"	10	300	48.75
286	PSB2	6" x 3"	10	200	83.25

✳ 20mm Knockout Available

ROUND CONDUIT PVC PIPE FITTINGS

HSN: 39174000

IS:3419



1988



(WHITE) SWITCH BOX LID



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
287	PSBL1 LID	3" x 3"	40	1200	21.25
288	PSBL2 LID	6" x 3"	25	750	29.00

(SWITCH BOX) FLUSH MOUNTED



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
289	PFSB1	3"x3"x2"	10	200	55.00
290	PFSB2	6"x3"x2"	10	160	73.75

20/25mm Knockout Available

(BLACK) FAN BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
291	PRFB20	20 Standard	10	220	58.25
292	PRFB25	25 Standard	10	220	58.25
293	PRFB20SL	20 Large	10	140	78.75
294	PRFB25SL	25 Large	10	140	78.75
295	PRFBRD2025	20/25 with Rod	1	28	232.00
296	PRFBRD25	25 with Rod	1	28	232.00



METAL FAN BOX WITH ROD (BROWN)

HSN : 73072900



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
297	PMFB 2025	20/25	2	40	171.50

25mm Four Sockets & 20mm Three Knockouts

METAL FAN BOX WITH ROD (BROWN)

HSN : 73072900



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
298	PMFB 2525	25/25	2	40	158.00

25mm Seven Knockouts

PVC SOLVENT CEMENT

HSN: 35061000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc	
		(ml)	Colour	Pc./Box		Pc./Carton
299	PSC100 ML	100ml	Transparent	24	144	94.50
300	PSC250 ML	250ml	Transparent	24	96	169.75
301	PSC500 ML	500ml	Transparent	12	48	288.25
302	PSC1L	1L	Transparent	6	24	495.75
303	PSC5L	5L	Transparent	-	6	2057.50

PVC ELECTRICAL INSULATION TAPE

HSN : 85469090



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		W(mm)xL(Mtr)	Pc./Box	Pc./Carton	
304	PPIT 18	18 x 6	30	540	13.25

BENDING SPRING

HSN : 73201019




SR. NO.	PRODUCT CODE	SIZE OD (mm)	COLOUR	STANDARD PACK		RATE Pc
				Pc./Bag	Pc./Carton	
LIGHT GAUGE						
305	PBS20L	20	Black	10	50	265.00
306	PBS25L	25	Black	5	30	351.50
MEDIUM GAUGE						
307	PBS20M	20	Silver	10	50	265.00
308	PBS25M	25	Silver	5	30	351.50
HEAVY GAUGE						
309	PBS20H	20	Gold	10	50	265.00
310	PBS25H	25	Gold	5	30	351.50

Suitable for 19mm LMS and 19mm MMS conduits also.

ALL WEATHER BOXES

Precision All Weather Boxes are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh environment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



Applications

Enclosure boxes for electrical installations
Suitable for Outdoor / Indoor environment

Features

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from -40°C to $+90^{\circ}\text{C}$
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well



ALL WEATHER BOXES

IP 67 HSN: 85381010

GREY



ALL WEATHER BOXES OPAQUE LID WITH KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
311	PAB 8888OL	88 x 88 x 53	27	266.75
312	PAB 9898OL	98 x 98 x 61	24	294.50
313	PAB 139119OL	139 x 119 x 70	10	287.75
314	PAB 167125OL	167 x 125 x 82	12	355.00
315	PAB 200160OL	200 x 160 x 98	8	557.25

ALL WEATHER BOXES OPAQUE LID WITHOUT KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
316	PAB 8383OL	83 x 83 x 65	21	255.50
317	PAB 100100OL	100 x 100 x 65	21	295.75
318	PAB 13080OL	130 x 80 x 65	16	339.25
319	PAB 130130OL	130 x 130 x 80	16	498.75
320	PAB 18080OL	180 x 80 x 90	12	410.75
321	PAB 1801OL	180 x 130 x 75	16	555.00
322	PAB 1802OL	180 x 130 x 100	12	564.25
323	PAB 180180OL	180 x 180 x 100	20	722.25
324	PAB 210190OL	210 x 190 x 100	6	832.00
325	PAB 27080OL	270 x 80 x 90	12	501.75
326	PAB 280190OL	280 x 190 x 130	4	1026.75
327	PAB 280280OL	280 x 280 x 130	2	1441.50
328	PAB 380190OL	380 x 190 x 130	3	1329.00
329	PAB 380280OL	380 x 280 x 130	2	1885.25
330	PAB 560380OL	560 x 380 x 180	2	4378.50

ALL WEATHER BOXES TRANSPARENT LID WITHOUT KNOCKOUT (ABS)

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
331	PAB 18080TL	180 x 80 x 90	12	473.25
332	PAB 27080TL	270 x 80 x 90	12	587.25
333	PAB 180130TL	180 x 130 x 100	12	575.25
334	PAB 180180TL	180 x 180 x 100	20	742.25
335	PAB 210190TL	210 x 190 x 100	6	865.00
336	PAB 280190TL	280 x 190 x 130	4	1116.00
337	PAB 280280TL	280 x 280 x 130	2	1509.25
338	PAB 380190TL	380 x 190 x 130	3	1514.75
339	PAB 380280TL	380 x 280 x 130	2	2192.75
340	PAB 560380TL	560 x 380 x 180	2	4984.00

PG GLANDS (PP)

HSN: 39174000

Sr No.	Product Code	Size (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
341	PPPG 7GL	7	600	5.75
342	PPPG 9GL	9	320	7.50
343	PPPG 11GL	11	240	8.00
344	PPPG 13.5GL	13.5	300	7.25
345	PPPG 16GL	16	240	8.50
346	PPPG 19GL	19	180	11.50
347	PPPG 21GL	21	120	13.50
348	PPPG 25GL	25	120	17.00





G.I & M.S. CONDUIT PIPES & FITTINGS

Precision G.I & M.S. Conduit Pipes are manufactured from rigorously tested raw material, in accordance with IS 9537 Part- 2. G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations. M.S. Conduit Pipes are treated and coated with paint.

Applications

Channelising electrical surface wiring and cable ducting

DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Wall Thickness (mm)	Wall Thickness Tolerance (mm)
20	20	0 -0.3	1.4 - 1.6	±0.2
25	25	0 -0.4	1.4 - 1.6	±0.2
32	32	0 -0.4	1.4 - 1.6	±0.2
40	40	0 -0.4	1.6 - 2.0	+0.2 -0.4
50	50	0 -0.5	1.6 - 2.0	+0.2 -0.4

Features



Anti - Rust Coat



Good Finish



Easy to Cut



High Resistance to Corrosion



G.I. & M.S. CONDUIT PIPES

HSN: 73069090

IS: 9537



Part-2



COLOUR : SILVER

G.I. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
349	PGIC 20	20	26 x 3m	78	265.00
350	PGIC 25	25	21 x 3m	63	320.00
351	PGIC 32	32	16 x 3m	48	490.00
352	PGIC 40	40	10 x 3m	30	760.00
353	PGIC 50	50	5 x 3m	15	860.00



COLOUR : BLACK

M.S. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
354	PMSC 20	20	26 x 3m	78	170.00
355	PMSC 25	25	21 x 3m	63	210.00
356	PMSC 32	32	16 x 3m	48	300.00
357	PMSC 40	40	10 x 3m	30	500.00
358	PMSC 50	50	5 x 3m	15	650.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN: 73269099

CIRCULAR BOX WITH LID AND SCREW



TERMINAL - 1 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE	
		OD (mm)	Pc./Box	Pc./Carton	Pc	Pc
359	PGIB 201	20	20	200	74.50	74.50
360	PGIB 251	25	20	200	87.00	87.00

THROUGH - 2 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE	
		OD (mm)	Pc./Box	Pc./Carton	Pc	Pc
365	PMSB 202S	20	20	200	74.50	74.50
366	PMSB 252S	25	20	200	83.75	83.75

TERMINAL - 1 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE	
		OD (mm)	Pc./Box	Pc./Carton	Pc	Pc
361	PMSB 201	20	20	200	74.50	74.50
362	PMSB 251	25	20	200	83.75	83.75

TEE - 3 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE	
		OD (mm)	Pc./Box	Pc./Carton	Pc	Pc
367	PGIB 203	20	20	200	74.50	74.50
368	PGIB 253	25	20	200	87.00	87.00

THROUGH - 2 WAY (SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE	
		OD (mm)	Pc./Box	Pc./Carton	Pc	Pc
363	PGIB 202S	20	20	200	74.50	74.50
364	PGIB 252S	25	20	200	87.00	87.00

TEE - 3 WAY (SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE	
		OD (mm)	Pc./Box	Pc./Carton	Pc	Pc
369	PMSB 203	20	20	200	74.50	74.50
370	PMSB 253	25	20	200	83.75	83.75

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN: 73269099

CIRCULAR BOX WITH LID AND SCREW



INTERSECTION - 4 WAY
(SCREW TYPE)

G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
371	PGIB 204	20	20	200	74.50
372	PGIB 254	25	20	200	87.00

SCREW TYPE

M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
377	PMS 20IBS	20	20	200	71.50
378	PMS 25IBS	25	20	200	77.50

INTERSECTION - 4 WAY
(SCREW TYPE)

M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
373	PMSB 204	20	20	200	74.50
374	PMSB 254	25	20	200	83.75

SCREW TYPE

M.S.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
379	PMS 20NBS	20	12	144	80.75
380	PMS 25NBS	25	12	144	111.75

SCREW TYPE

G.I. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
375	PGI 20IBS	20	20	200	71.50
376	PGI 25IBS	25	20	200	77.50

SCREW TYPE

G.I.NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
381	PGI 20NBS	20	12	144	80.75
382	PGI 25NBS	25	12	144	111.75



PVC MINI/MAXI TRUNKING PROFILE & FITTINGS

Precision PVC Mini/Maxi Trunking Profile & Fittings

are manufactured from high impact polyvinyl chloride (PVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards

The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1. Mini Trunking Profile are also available with self-fixing tape for instant and easy installation. Clip on lid provides security while allowing easy maintenance

Precision PVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors

Applications

To organize and protect cables on surface

Features



Easy and Quick Installation



Secure & Elegant Look



Fire Retardant



Various Diameters & Grades



Durable & Impact Resistant



Thermal Resistant (-5° C to +60° C)



PVC MINI / MAXI TRUNKING PROFILE

HSN: 39162019

IS: 14927



Part-2

IVORY

WHITE

IVORY/WHITE

PVC MINI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
383	PT2012	20 x 12	100 x 2m	200	24.50
384	PT2512	25 x 12	100 x 2m	200	29.00
385	PT3015	30 x 15	100 x 2m	200	31.00
386	PT3212	32 x 12	100 x 2m	200	36.00
387	PT 3212SPL	32 x 12	100 x 2m	200	30.00
388	PT1616	16 x 16	100 x 2m	200	23.50
389	PT2516	25 x 16	100 x 2m	200	35.00
390	PT 2516SPL	25 x 16	100 x 2m	200	29.00
391	PT3216	32 x 16	100 x 2m	200	32.00
392	PT3816	38 x 16	50 x 2m	100	56.25
393	PT3825	38 x 25	50 x 2m	100	63.50
394	PT3838	38 x 38	25 x 2m	50	84.50
395	PT5016	50 x 16	50 x 2m	100	97.25

WHITE

PVC MAXI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
396	PT5050	50 x 50	20 x 2m	40	164.00
397	PT7550	75 x 50	12 x 2m	24	397.00
398	PT7575	75 x 75	9 x 2m	18	519.00
399	PT10050	100 x 50	10 x 2m	20	647.00
400	PT100100	100 x 100	6 x 2m	12	829.75
401	PT15050	150 x 50	5 x 2m	10	984.00
402	PT150100	150 x 100	4 x 2m	8	1197.00

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000

IVORY

WHITE

COUPLER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
403	PTC 2012	20 x 12	100	3.50
404	PTC 2512	25 x 12	100	3.25
405	PTC 3212	32 x 12	100	3.25
406	PTC 1616	16 x 16	100	3.50
407	PTC 3816	38 x 16	50	6.00
408	PTC 3825	38 x 25	50	6.75

TEE



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
415	PTT 2012	20 x 12	100	6.00
416	PTT 2512	25 x 12	50	5.50
417	PTT 3212	32 x 12	50	6.75
418	PTT 1616	16 x 16	100	6.00
419	PTT 3816	38 x 16	50	8.50
420	PTT 3825	38 x 25	50	10.25

ELBOW



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
409	PTB 2012	20 x 12	100	5.50
410	PTB 2512	25 x 12	100	3.50
411	PTB 3212	32 x 12	100	6.00
412	PTB 1616	16 x 16	100	3.50
413	PTB 3816	38 x 16	100	6.75
414	PTB 3825	38 x 25	100	8.75

INTERNAL BEND



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
421	PTI 2512	25 x 12	100	2.25
422	PTI 3212	32 x 12	100	3.50
423	PTI 1616	16 x 16	100	3.50
424	PTI 3816	38 x 16	100	6.00
425	PTI 3825	38 x 25	50	7.25

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000

IVORY WHITE



EXTERNAL BEND

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
426	PTE 2512	25 x 12	100	3.25
427	PTE 3212	32 x 12	100	5.50
428	PTE 1616	16 x 16	100	6.00
429	PTE 3816	38 x 16	100	6.75
430	PTE 3825	38 x 25	50	10.50



4 - WAY

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
431	PTW3212	32 x 12	50	11.25

(POLY PROPYLENE) JUNCTION LINKER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE
			Pc./Box	Pc./Carton	Pc
432	PTJL7575	Standard	35	560	19.25

TRUNKING KNOCKOUT SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE
			Pc./Box	Pc./Carton	Pc
\$ 433	PTSB1	3"x3" (W)	10	300	48.25
\$ 434	PTSB2	6"x3" (W)	10	200	80.25

\$ 16 x 16, 25 x 16 Knockout Available
(W) - White

PVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN: 39174000

WHITE



ELBOW

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
435	PMTL50	50 x 50	5	94.50
436	PMTL751	75 x 50	5	226.00
437	PMTL752	75 x 75	5	270.00
438	PMTL1001	100 x 50	5	363.75
439	PMTL1002	100 x 100	5	386.75
440	PMTL1501	150 x 50	5	365.00



TEE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
441	PMTT50	50 x 50	5	132.75
442	PMTT751	75 x 50	5	226.00
443	PMTT752	75 x 75	5	270.00
444	PMTT1001	100 x 50	5	279.75
445	PMTT1002	100 x 100	5	386.75
446	PMTT1501	150 x 50	5	365.00



INTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
447	PMTI50	50 x 50	5	94.50
448	PMTI751	75 x 50	5	226.00
449	PMTI752	75 x 75	5	270.00
450	PMTI1001	100 x 50	5	359.00
451	PMTI1002	100 x 100	5	386.75
452	PMTI1501	150 x 50	5	365.00

EXTERNAL ANGLE



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
453	PMTE50	50 x 50	5	94.50
454	PMTE751	75 x 50	5	226.00
455	PMTE752	75 x 75	5	270.00
456	PMTE1001	100 x 50	5	359.00
457	PMTE1002	100 x 100	5	386.75
458	PMTE1501	150 x 50	5	365.00



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
459	PFTC50	50 x 50	5	27.00
460	PFTC751	75 x 50	5	36.75
461	PFTC752	75 x 75	5	42.75
462	PFTC1001	100 x 50	5	54.75
463	PFTC1002	100 x 100	5	89.75
464	PFTC1501	150 x 50	5	98.75



PVC PANEL TRUNKING

Precision PVC Panel Trunking is manufactured from high impact polyvinyl chloride (PVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium, big size panels & various applications where economy, space saving, safety and durability are paramount.

Applications

To conduct, organise and protect cables inside electrical and telecommunication panels, industrial machinery wiring, computer LAN wiring and data centers

Features



Fire Retardant



Thermal Resistant
(-5° C to +60° C)



High Tensile Strength
(390kg/cm²)

- Non - brittle, wrap proof
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires
- Avoids bunching, taping and provides complete electrical insulation
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting.



PVC PANEL TRUNKING

HSN: 85381010

≈ FRLS | CE



STANDARD SLOT PVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
465	PPT1515	15 x 15	200 x 1m	200	54.00
466	PPT2525	25 x 25	130 x 1m	130	81.50
467	PPT3025	30 x 25	125 x 1m	125	87.00
468	PPT4525	45 x 25	90 x 1m	90	107.25
469	PPT4545	45 x 45	50 x 1m	50	147.50
470	PPT4560	45 x 60	50 x 1m	50	191.25
471	PPT6025	60 x 25	70 x 1m	70	137.00
472	PPT6040	60 x 40	60 x 1m	60	171.25
473	PPT6045	60 x 45	50 x 1m	50	172.50
474	PPT6060	60 x 60	40 x 1m	40	216.00
475	PPT7525	75 x 25	60 x 1m	60	173.75
476	PPT7575	75 x 75	30 x 1m	30	317.25
477	PPT10075	100 x 75	24 x 1m	24	521.75
478	PPT100100	100 x 100	16 x 1m	16	617.00

THIN SLOT PVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
479	PPT3025TS	30 x 25	125 x 1m	125	91.00
480	PPT4525TS	45 x 25	90 x 1m	90	111.75
481	PPT4545TS	45 x 45	50 x 1m	50	156.75
482	PPT4560TS	45 x 60	50 x 1m	50	193.75
483	PPT6025TS	60 x 25	70 x 1m	70	146.50
484	PPT6040TS	60 x 40	60 x 1m	60	180.00
485	PPT6045TS	60 x 45	50 x 1m	50	181.25
486	PPT6060TS	60 x 60	40 x 1m	40	228.25

TOP COVER PVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		(mm)	Pc/Mtr	Mtr/Carton	
487	PPT25T	25	100 x 1m	100	33.75
488	PPT40T	40	50 x 1m	50	55.00
489	PPT45T	45	50 x 1m	50	58.50
490	PPT60T	60	50 x 1m	50	90.00
491	PPT75T	75	25 x 1m	25	91.00
492	PPT100T	100	25 x 1m	25	145.50

≈ FRLS: Fire Retardant - Low Smoke



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

Precision Corrugated Flexible Conduit Pipes & Fittings come in a wide and comprehensive range of material variants to suit a variety of applications. These conduits are manufactured in variants based on the final application for wiring purposes.

Polypropylene Flexible Conduits are the best solution for applications where resistance to constant flexing and vibration is essential, these conduits display excellent flexibility. Moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to $+90^{\circ}\text{C}$.

Steel Wire Reinforced Flexible PVC Conduits are manufactured with soft polyvinyl chloride (PVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali & saline water. Most suitable for electrical wiring in buildings, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to $+90^{\circ}\text{C}$.

Galvanised Steel Flexible Conduit Precision Steel Flexible Conduit Pipes are made from galvanised steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air conditioning, ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions

Galvanised Steel Flexible Conduit With PVC Coating

Precision PVC Coated Steel Flexible Conduit Pipes are made from galvanized steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating. They are available in black/grey colour with spiral corrugated pattern finished surface. Most suitable for mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



Fire Retardant



Corrosion Free



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

HSN: 39173100



DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	-0.1	7.0
16	16	-0.3	10.7
20	20	-0.3	14.1
25	25	-0.4	18.3
32	32	-0.4	24.3
40	40	-0.4	31.2
50	50	-0.5	39.6
63	63	-0.6	52.6

(PP) POLY PROPYLENE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
493	PCFC 10	10	100	1000	11.00
494	PCFC 16	16	50	500	11.00
495	PCFC 20	20	50	500	15.00
496	PCFC 25	25	25	250	21.50
497	PCFC 32	32	25	250	36.25
498	PCFC 40	40	20	100	50.25
499	PCFC 50	50	15	75	75.25
500	PCFC 63	63	10	50	116.00



DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES



Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2"	54.0	50.0	90


*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
501	PCCL 10	10	100	1000	16.25
502	PCCL 16	16	50	500	17.50
503	PCCL 20	20	50	500	24.50
504	PCCL 25	25	25	250	32.75
505	PCCL 32	32	25	250	53.75
506	PCCL 40	40	20	100	63.75
507	PCCL 50	50	15	75	87.50
508	PCCL 63	63	10	50	136.00

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2"	57.0	51.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

CORRUGATED FLEXIBLE CONDUIT GLAND

HSN : 39174000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
509	PFAG 16	16	125	2250	5.75
510	PFAG 20	20	75	1350	7.75
511	PFAG 25	25	50	900	10.25
512	PFAG 32	32	30	540	12.25
513	PFAG 40	40	20	360	18.00
514	PFAG 50	50	5	150	24.25

GALVANIZED STEEL FLEXIBLE CONDUIT PIPE

HSN : 83071000



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
530	PGIFC 16	16	1/2"	15	210	52.25
531	PGIFC 20	20	3/4"	15	150	69.00
532	PGIFC 25	25	1"	15	105	105.75
533	PGIFC 32	32	1 1/4"	15	75	126.25
534	PGIFC 40	40	1 1/2"	15	75	141.50
535	PGIFC 50	50	2"	10	50	210.25

STEEL WIRE REINFORCED FLEXIBLE PVC CONDUIT PIPE

HSN : 39172190



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		ID (mm)	Mtr./Coil	Mtr./Bag	(Mtr)
515	PCWR 10	10	30	300	50.00
516	PCWR 16	16	30	300	65.50
517	PCWR 20	20	30	240	84.75
518	PCWR 25	25	30	210	104.00
519	PCWR 30	30	30	150	134.75
520	PCWR 40	40	30	120	155.75
521	PCWR 50	50	30	90	186.50
522	PCWR 60	60	15	75	261.50

GALVANIZED STEEL FLEXIBLE CONDUIT WITH PVC COATING

HSN : 83071000



SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE
				Mtr./Coil	Mtr./Bag	(Mtr)
536	PGIFCP 16	16	1/2"	50	250	79.25
537	PGIFCP20	20	3/4"	25	150	106.00
538	PGIFCP 25	25	1"	25	125	161.00
539	PGIFCP 32	32	1 1/4"	15	75	191.75
540	PGIFCP 40	40	1 1/2"	15	75	226.00
541	PGIFCP 50	50	2"	15	60	321.25

STEEL WIRE REINFORCED FLEXIBLE PVC CONDUIT GLAND

HSN : 39174000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
523	PFRG 10	10	75	1350	10.25
524	PFRG 16	16	60	1080	11.50
525	PFRG 20	20	45	810	14.50
526	PFRG 25	25	30	540	19.00
527	PFRG 30	30	20	360	23.75
528	PFRG 40	40	15	270	31.50
529	PFRG 50	50	5	150	45.25



CABLE TIES

Precision Cable Ties are manufactured primarily from high-strength nylon, engineered fastening devices designed to securely bundle and organize cables, wires, and other components. Ties feature ratcheting mechanism that allows the strap to lock in place, providing a reliable and tamper - resistant hold. Precision Cables ties are available in various lengths, tensile strength ranges from 78N to 530N depending on size and width. Precision ties are widely used across electrical, automotive, aerospace, and industrial applications.



Applications

Industrial & Manufacturing Securing components during assembly or transit bundling wires, hoses and tubing Automotive Organizing engine bay wiring , Fastening brake lines or fuel hoses Aerospace managing miles of cabling in aircraft Electronics & IT cable management in server racks and data centers.

STANDARD DIMENSIONS & SPECIFICATIONS OF CABLE TIES

Size (mm)	Length (mm)	Thickness (mm)	Tensile Strength			Bundle Diameter	
			Kg.	LBS	Newton	Min.	Max.
100 x 2.5	100	0.95	8	18	78	2	22
150 x 3.0	150	1.1	14	31	137	4	37
150 x 3.6	150	1.1	18	40	177	4	38
200 x 3.6	200	1.15	18	40	177	4	53
200 x 4.8	200	1.15	22	49	216	4	51
250 x 3.6	250	1.15	18	40	177	4	70
250 x 4.8	250	1.4	22	49	216	4	68
300 x 3.6	300	1.15	18	40	177	4	85
350 x 3.6	350	1.3	18	40	177	4	101
350 x 4.8	350	1.3	22	49	216	4	96
400 x 4.8	400	1.3	22	49	216	4	110
400 x 7.6	400	1.5	54	119	530	4	112
450 x 4.8	450	1.3	22	49	216	4	130
500 x 4.8	500	1.4	22	49	216	4	147
100 x 1.8	100	0.9	8	18	78	2	24
300 x 4.8	300	1.23	22	49	216	4	82

* **Tolerance:** Length: 5.0 mm | Width: 0.5 mm | Thickness: 0.2 mm

Features

Precision Cable ties are high mechanical strength and durable Self - locking mechanism easy to use, secure grip Tensile Strength ranges from 78N to 530N Flame - retardant : UL94 V2/ROHS compliance.



Fire Retardant



Good Finish



Durable & Impact Resistant



Easy and Quick Installation



CABLE TIES

HSN: 39239090



CABLE TIES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK			RATE
		OD (mm)	Pc./Bag	Bag/Carton	Total Pc. Per Carton	PC
542	PCT 100 2.5	100 x 2.5	1000	100	1,00,000	0.50
543	PCT 1002.5 1	100 x 2.5	100	600	60,000	0.50
544	PCT 150 3.0	150 x 3.0	100	420	42,000	0.50
545	PCT 150 3.6	150 x 3.6	100	300	30,000	0.75
546	PCT 200 3.6	200 x 3.6	100	250	25,000	1.00
547	PCT 200 4.8	200 x 4.8	100	200	20,000	1.25
548	PCT 250 3.6	250 x 3.6	100	215	21,500	1.25
549	PCT 250 4.8	250 x 4.8	100	155	15,500	1.75
550	PCT 300 3.6	300 x 3.6	100	190	19,000	1.50
551	PCT 350 3.6	350 x 3.6	100	150	15,000	1.75
552	PCT 350 4.8	350 x 4.8	100	120	12,000	2.25
553	PCT 400 4.8	400 x 4.8	100	110	11,000	2.50
554	PCT 400 7.6	400 x 7.6	100	60	6,000	5.00
555	PCT 450 4.8	450 x 4.8	100	90	9,000	3.00
556	PCT 500 4.8	500 x 4.8	100	80	8,000	3.25
557	PCT 100 1.8	100 x 1.8	1000	120	1,20,000	0.25
558	PCT 1001.8 1	100 x 1.8	100	800	80,000	0.25
559	PCT 300 4.8	300 x 4.8	100	140	14,000	2.00



(Black / White)



electrical@precisionpipes.com
www.precisionpipes.com

We Care **+91 77150 00015**

PRECISION PLASTIC INDUSTRIES PVT. LTD.

19/D, Nand Jyot Industrial Estate, Safed Pool, Andheri - Kurla Road,
Andheri East, Mumbai 400 072, Maharashtra, India.